Presentation **Part Number: 766.102**

ErgonoFlex CliqTec 1 Medical Keyboard, waterproof, hygienic, can be disinfected and wireless

CLIQTEC





Introducing the ErgonoFlex CliqTec KEYBOARD 1, designed to meet the demanding requirements of medical environments where hygiene and ease of use are paramount. This cutting-edge keyboard offers a seamless blend of functionality, comfort, and cleanliness, making it an essential tool for medical professionals worldwide.

Easy Cleaning: The ErgonoFlex CliqTec KEYBOARD 1 is engineered with a flat key design and a declining surface, allowing for effortless cleaning. Spills, debris and bacteria can be swiftly wiped away, ensuring a pristine work surface at all times.

Clean Function: With its clean function, the keyboard can be conveniently deactivated to prevent inadvertent data entry during cleaning procedures. This ensures that no erroneous data is entered, maintaining data accuracy and integrity.

Hygienic Design: Designed with hygiene in mind, the keyboard's flat keys and smooth surface minimize the accumulation of dirt and bacteria, promoting a sanitary work environment. The declining surface further aids in channeling cleaning liquids away that no residue can form.

Enhanced Typing Experience: Experience superior typing comfort with the CliqTec KEYBOARD 1's tactile feedback and responsive keys. Each keystroke is smooth and precise, facilitating efficient data entry tasks even during extended use.

Durability: Built to withstand the rigors of medical settings, the ErgonoFlex CliqTec KEYBOARD 1 is constructed from high-quality materials, ensuring long-lasting durability and reliability. It is resistant to disinfectants and cleaning agents commonly used in healthcare facilities, prolonging its lifespan.


Product features **Part Number: 766.102**

ErgonoFlex CliqTec 1 Medical Keyboard, waterproof, hygienic, can be disinfected and wireless

CLIQTEC



Protection	IP68
Connection	Wired (USB) – cabel length: 1800 mm
Color	White
Keyboard layout	German, Nordic, Belgium, further layouts on demand
Compatibility	All operating systems supporting USB keyboards
Number of buttons	105 low profile standard membrane keys
LED status display	Num-Lock, Caps-Lock, Scroll-Lock, Clean-Function
Weight	850 gram
Dimensions (W x H x D)	444 x 140 x 27 mm
Storage temperature	-20˚C to +55˚C
Operating temperature	0˚C to +45˚C
Input voltage range	5V (DC) +/- 5 %
Max current consumption	Less than 100mA
Approval and compliance	FCC / CE / RoHS / REACH
Warranty	24 months



Product features **Part Number: 766.102**

ErgonoFlex CliqTec 1 Medical Keyboard, waterproof, hygienic, can be disinfected and wireless

CLIQTEC





