



Display Compatibility: 26" Wide ( Weight)  
 Supported Weight: 13-18 Kg  
 VESA standard: 75 / 100 mm

**300 + 240 mm height adjustable medical monitor arm, wall mounting on vertical slide rail**

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

**Technical specifications:**

- \* Integrated cable channel
  - \* Equipotential bonding
  - \* Optional Vertical Wall Slide Rail Mounting, including several lengths are available (480 mm - 720 mm - 960 mm - 1200 mm). These wall rails can be easily cut to size you want. All cables also pass through the wall rail. (See Option below)
  - \* This 300 + 240 mm Horizontal arm with gas spring simply slips into the wall rail and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
  - \* The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
  - \* Compatible with screens whose weight does not exceed 13-18 Kg.
  - \* Touch screen stability. \* Screen tilt: 50° down and 100° up
  - \* Screen rotation: 110° right, 110° left.
  - \* Arm rotation: 105° to the right, 105° to the left.
  - \* Height adjustment: 45° down, 45° up \* Total length 806 mm
  - \* Compatible with multimedia terminals (TMM)
  - \* Colour RAL 7024 (Graphite grey) and White \* Warranty: 5 years
  - \* All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- Note: This arm can also be installed on one of our medical columns or trolleys.

Up to 26" Wide ( Weight)

VESA 75/100 mm

13-18 Kg



Do not hesitate to contact us if you have any questions about this product.



Warranty: 5 years



000.991.540-4



Graphite Grey and White



On Measure



= Depending on the elements



991.540-4